



LV TRACK

LVTRACK is suitable for all Esse-Ci **48V LV lighting fixtures**. The track is available in three versions for surface, recessed and suspended applications. Each track boasts **minimal dimensions** for an absolutely discrete installation effect. A wide range of accessories complements each track style. Being SELV, **rapid and safe coupling of luminaires** is possible. Esse-Ci **LV TRACK** promotes optimum **flexibility and minimalism** without compromising performance.

ID 15



esse-ci

SPECIFICATIONS

Low voltage tracks (up to 60V dc)
Circuits: 2 x 15A + Databus circuit.

BODY

Aluminium

COLORS

White RAL 9003 - code B
Black RAL 9011 - code C8

ON REQUEST

Recessed frameless version.

COMPATIBLE PRODUCTS



NEXT DK LV (P. 209)



LUDO (P. 217)



TERES LV (P. 215)



TERES MICRO ZOOM (P. 213)



JOOLS (P. 223)



STYLO LV (P. 225)



LUDO LINEAR 2.0 (P. 219)



LUDO LINEAR DK (P. 221)




BEN LV (P. 211)

LV TRACK

Accessories on page 186.

IP 20

Ceiling version.




Cod.	Notes	L mm
15LV1M	Electrified LV Track	1000
15LV2M	Electrified LV Track	2000
15LV3M	Electrified LV Track	3000

LV TRACK RECESSED

Accessories on page 186.

IP 20

Recessed version.



Cod.	Notes	L mm
15LV1RM	Electrified LV Track	1000
15LV2RM	Electrified LV Track	2000
15LV3RM	Electrified LV Track	3000

ACCESSORIES



End caps kit for LV TRACK.

15LV09M



End caps kit for LV TRACK RECESSED.

15LV09RM



Single wire adjustable suspension kit for LV TRACK.

15LV13 1500mm
15LV1330 3000mm



Spring clips for LV TRACK RECESSED.

15LV17RM



Electrified end feed.

15LV09EL



Electrified flexible joint.

15LV12



Electrified linear joint.

15LV11EL



Electrified 90° joint.

15LV05EL



48V 75W and 150W driver for remote installation.

15LV7548IS
15LV15048IS



Cutting tool for track conductors.

15AATC