












FEATURES

-  Direct emission
-  UGR <22
-  IP 66
-  IK 08
-  -30° / +45°



LED

-  4000K
-  >125 lm/W
-  CRI >80
-  Eye safety: RG0/RG1
-  Mac Adams 3
-  L80/B10 >50.000h

CERTIFICATIONS

-  EEA Conformity
-  Energy efficiency
-  5 years warranty

ON REQUEST

-  DALI - code D
-  3000K - code K3*
5000K - code K5*

SPECIFICATIONS

Built-in driver.
NBE: concentrating polycarbonate lens.
WBE: diffusing polycarbonate lens.
AS: polycarbonate lens with asymmetrical emission.
HW: polycarbonate lens with intensive asymmetric emission.

BODY

Die cast aluminum with epoxy powder coating.

COLORS

Double color:
light gray RAL 7035
black RAL 9017
One color:
black RAL 9017 - code BK.



MAGIS FLOOD

MAGIS FLOOD is a range of **indoor and outdoor IP66 luminaires** designed for use in **ambitious sports or large areas**. The wide range of optics, combined with the wide range of powers, makes it an extremely versatile floodlight.

ID 92



Design
Delineo Design


* Where available


esse-ci

MAGIS FLOOD MEDIUM NBE

Accessories on page 332. **IP 66** **IK08**

Polycarbonate lens with narrow emission.





Cod. 4000K		lm	mm
92NBE100K4M	100W	13100	261x440
92NBE150K4M	150W	19620	261x440

MAGIS FLOOD MEDIUM AS

Accessories on page 332. **IP 66** **IK08**

Polycarbonate lens with asymmetric emission.




Cod. 4000K		lm	mm
92AS100K4M	100W	12535	261x440
92AS150K4M	150W	18803	261x440

MAGIS FLOOD MEDIUM WBE

Accessories on page 332. **IP 66 IK08**

Polycarbonate lens with diffusing emission.




Cod. 4000K		lm	mm
92WBE100K4M	100W	13625	261x440
92WBE150K4M	150W	20438	261x440

MAGIS FLOOD MEDIUM HW

Accessories on page 332. **IP 66 IK08**

Polycarbonate lens with high wallwasher emission.





Cod. 4000K		lm	mm
92HW100K4M	100W	12535	261x440
92HW150K4M	150W	18803	261x440

MAGIS FLOOD LARGE NBE

Accessories on page 332. **IP 66** **IK08**

Polycarbonate lens with narrow emission.




Cod. 4000K		lm	mm
92NBE200K4L	200W	27200	335x600
92NBE250K4L	250W	33900	335x600
92NBE300K4L	300W	40680	335x600




MAGIS FLOOD LARGE AS

Accessories on page 332. **IP 66** **IK08**

Polycarbonate lens with asymmetric emission.




Cod. 4000K		lm	mm
92AS200K4L	200W	25990	335x600
92AS250K4L	250W	32488	335x600
92AS300K4L	300W	38985	335x600



MAGIS FLOOD LARGE WBE

Accessories on page 332. **IP 66** **IK08**

Polycarbonate lens with diffusing emission.




Cod. 4000K		lm	mm
92WBE200K4L	200W	28250	335x600
92WBE250K4L	250W	35313	335x600
92WBE300K4L	300W	42375	335x600

MAGIS FLOOD LARGE HW

Accessories on page 332. **IP 66** **IK08**

Polycarbonate lens with high wallwasher emission.



Cod. 4000K		lm	mm
92HW200K4L	200W	25990	335x600
92HW250K4L	250W	32488	335x600
92HW300K4L	300W	38985	335x600

ACCESSORIES



Protection grid.

92AAGPM - MEDIUM
92AAGPL - LARGE



Eyelid for glare control.

92AAVIM - MEDIUM
92AAVIL - LARGE



Wall corner bracket.

92AASP



Pole fixing kit.

92AATP